From: <u>Lim, Joann@Waterboards</u>
To: <u>Marincola, JamesPaul</u>

Cc: <u>Outwin-Beals, Brandi@Waterboards</u>; <u>Stuber, Robyn</u>

Subject: RE: Tentative Order - Las Gallinas

Date: Thursday, March 05, 2015 12:36:08 PM

Based on your comments, I plan on adding the following to the fact sheet (section IV.C.7) and adding an effluent limitation for chronic at A (dechlor to ponds/lakes). Let me know any questions/concerns/edits.

"The previous order required quarterly chronic toxicity tests. Out of 22 chronic toxicity tests, two exceeded 1 TUc. One of those results was 4 TUc (March 2010) and the other was 2 TUc (March 2012). Using the RPA procedures from the SIP, the effluent does have reasonable potential to cause an exceedance of the narrative water quality objective for toxicity and an effluent limitation for chronic toxicity is required."

Parameter	Units	Effluent Limitations					
		Average	Average	Maximum	12-Month	Instantaneous	Instantaneous
		Monthly	Weekly	Daily	Average	Minimum	Maximum
Acute Toxicity	Pass/Fail, %		- 1	Pass or <40%			
	Effect (Test						
	of						
	Significant			effect <sup>5</sup>			
	Toxicity)						
Chronic Toxicity	Pass/Fail, %	-1	1	Pass or <40% effect <sup>5</sup>			
	Effect (Test						
	of						
	Significant						
	Toxicity)						

From: Marincola, JamesPaul [mailto:Marincola.JamesPaul@epa.gov]

Sent: Wednesday, March 04, 2015 4:05 PM

To: Lim, Joann@Waterboards

Cc: Outwin-Beals, Brandi@Waterboards; Stuber, Robyn@epamail.epa.gov

Subject: FW: Tentative Order - Las Gallinas

Hey Joann,

Here's an Order from RB2 that Robyn forwarded over that has some good language on doing a toxicity RPA. It was developed by their attorneys and contains similar rationale to RB4 permits, so should be a good model if you're looking for an example.

Jamie Marincola Water Division US EPA, Region IX San Francisco, CA 415-972-3520

From: Stuber, Robyn

Sent: Wednesday, March 04, 2015 3:59 PM

To: Marincola, JamesPaul

**Subject:** Tentative Order - Las Gallinas